


BILGE DETAILS.

1. VESSEL TO BE FITTED WITH 2 (MIN) MANUAL BILGE PUMPS EACH WITH A 4.0kL/H CAPACITY.
2. BILGE PIPING MIN Ø25mm.
3. BUILDER TO FIT Ø32mm SOUNDING PIPES WITH STRIKER PLATES TO FORE AND AFT COMPARTMENTS.
4. BILGE LINES RUN TO MANIFOLD ON PORT WHEELHOUSE SIDE

REFER DRWG 73/4 FOR BOLLARD DESIGN



PRINCIPAL DIMENSIONS

L.O.H.	10.3 m
MEASURED LENGTH	9.9 m
L.W.L.	9.61 m
BEAM. (MOULDED)	4.1 m (PLUS BELTINGS)
DRAUGHT (HULL)	0.55 m
TOTAL DRAUGHT (LIGHT)	1.00 m
TOTAL DRAUGHT (HEAVY)	1.30 m
DISPLACEMENT	15 TONNE (LIGHTSHIP)
MAX DEADWEIGHT	10 TONNE
DEPTH	1.525 m

2	22-09-10	GENERAL UPDATE
1	25-08-10	FIRST ISSUE
ISSUE	DATE	CHANGES

CHRIS TUCKER MARINE DESIGN PTY LTD.
 PO BOX 194, OLINDA, VICTORIA, 3788, AUSTRALIA
 PHONE +61 (0)3 9728 1754. INFO@CTMD.COM.AU

9.9m STEEL WORK BOAT

GENERAL ARRANGEMENT

BY	DATE	SCALE	DRWG
CT	SEP' 10	1:10 @ A1	73/3
		ISSUE 2	

THIS DRAWING MAY NOT BE COPIED, COMMUNICATED TO ANY PERSON OR USED FOR MANUFACTURE WITHOUT THE EXPRESS WRITTEN CONSENT OF THE DESIGNER.

